

1/24

FIG. 1





FIG. 2



3/24

FIG. 3

Correction table 32b

		Correction pattern
Color factor level	Subpixel 1	5
	Subpixel 2	2
	Subpixel 3	1

FIG. 4

Luminance table 32c

		Luminance level		
		R	G	B
Color factor level	7	0	0	0
	6	36	36	36
	5	73	73	73
	4	109	109	109
	3	146	146	146
	2	182	182	182
	1	219	219	219
	0	255	255	255

4/24

FIG. 5A

Shift table 321d

	Device characteristic A	Device characteristic B	Device characteristic C
Shift amount	2	0	1

FIG. 5B

Shift table 322d

	Thickness width 1	Thickness width 2	Thickness width 3
Shift amount	0	0	1

FIG. 5C

Shift table 323d

	European character	Kanji character	Non-Kanji character
Shift amount	0	2	1

FIG. 5D

Shift table 324d

Character or graphics Background	White	Black	Blue	Red	Yellow	...
White		0	0	0	1	
Black	0		1	1	2	
Blue	2	1		0	2	
Red	1	2	0		0	
⋮	1	2	2	1		
⋮						


FIG. 5E

Shift table 325d

Thickness width Device characteristic	A	B	C	D	...
1		0	1	0	
2	2		1	1	
3	0	1		0	
4	1	2	0		
⋮					


5/24

FIG. 6




6/24


FIG. 7



7/24

FIG. 8





9/24

FIG. 10





FIG. 12



12/24

FIG. 13









FIG. 14





 : Subpixel corresponding to basic portion


 ,  : Correction pattern

 Luminance level 0


 Luminance level 219

 Luminance level 73

 Luminance level 255


 Luminance level 182

14/24

FIG. 15

15/24

FIG. 16



16/24



FIG. 17A**FIG. 17B**



FIG. 18A**FIG. 18B**




FIG. 19A*FIG. 19B*

FIG. 20






FIG. 21

FIG. 22




FIG. 23




FIG. 24




FIG.25

